Product data sheet

Specifications





Wired, Sensor, NetBotz, Temperature & Humidity Display

AP9520TH

Overview Presentation

APC A-Link Sensor that monitors temperature and humidity in your Data Center or Network Closet. Display provides visual reporting of temperature levels. Compatible with select NetBotz appliances.

Lead time

Usually in Stock

Main

| Product or Component Type | Temperature and humidity sensor |
|---------------------------|-------------------------------------|
| Range of Product | Netbotz |
| number of rack unit | 0U |
| Provided Equipment | Installation guide Mounting pads |

Physical

| Color | Black | |
|---------------------|-----------------------|--|
| Height | 3.9 in (9.9 cm) | |
| Width | 1.7 in (4.3 cm) | |
| Depth | 1.1 in (2.8 cm) | |
| Net Weight | 0.18 lb(US) (0.08 kg) | |
| Mounting preference | No preference | |
| Mounting Mode | Not rack-mountable | |

Conformance

| Product Certifications | AS/NZS 3548 (C-Tick) Class A CE VCCI |
|------------------------|---|
| Standards | EN 55022 Class A EN 55024 FCC Part 15 class A ICES-003 |

Environmental

| Ambient Air Temperature for Operation | 32.000000000113.000000000 °F (045 °C) | |
|--|--|--|
| Operating altitude | 010000 ft | |
| Relative Humidity | 095 % | |
| Ambient Air Temperature for Storage | -40.000000000149.000000000 °F (-4065 °C) | |
| Storage altitude | 050000 ft (0.00000000015240.000000000 m) | |



Storage Relative Humidity

0...95 %

Ordering and shipping details

| Category | 80230-IG SEBA TO SEUSA | |
|-------------------|------------------------|--|
| Discount Schedule | BMS1 | |
| GTIN | 731304206682 | |
| Returnability | No | |
| Country of origin | ID | |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|-----------------------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 9.02 in (22.9 cm) |
| Package 1 Width | 2.008 in (5.1 cm) |
| Package 1 Length | 6.5 in (16.5 cm) |
| Package 1 Weight | 2.03 lb(US) (0.92 kg) |

Contractual warranty

Warranty

2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Yes

Learn more about Green Premium >



Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information

Certifications & Standards

| Reach Regulation | REACh Declaration |
|---------------------------|--|
| Eu Rohs Directive | Compliant with Exemptions |
| China Rohs Regulation | China RoHS declaration |
| Environmental Disclosure | Product Environmental Profile |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |
| Circularity Profile | End of Life Information |
| California Proposition 65 | "WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov" |

